

# Protective suit SOLAS Serie GS3 TESTIMAX



The fabric of the Polyran-L suit is a para-aramid fabric coated with POLYRAN on both sides.

## Features:

- extremely light and flexible suit
- reusable, washable
- good tear, abrasion and puncture resistance
- good chemical resistance to most acids and bases
- yellow (optionally red)
- Weight 4 kg (without accessories)
- Lifespan; up to 15 years according to the manufacturer's instructions

## Glove options

Telblue

Neotex

Alpha Tec

## Approvals

DIN EN 943 part 1 – 1b (industry)

Zone in Ex 0 mode

DIN EN 14126, DIN EN 1149, EN1073-2, SOLAS

## Sizes

M / 160-175 cm

L / 170-185 cm

XL / 180-190 cm

XXL / 190-200 cm The Polyran-L suit material is a para-aramid fabric coated with POLYRAN on both sides.

## Features:

- extremely light and flexible suit
- reusable, washable
- good tear, abrasion and puncture resistance
- good chemical resistance to most acids and bases
- yellow (optionally red)
- Weight 4 kg (without accessories)
- Lifespan; up to 15 years according to the manufacturer's instructions

## Glove options

Telblue

Neotex

Alpha Tec

## Approvals

DIN EN 943 part 1 – 1b (industry)

Zone in Ex 0 mode

DIN EN 14126, DIN EN 1149, EN1073-2, SOLAS

## Sizes

M / 160-175 cm

L / 170-185 cm

XL / 180-190 cm

XXL / 190-200 cm